



JAGDAMBA LABORATORIES®



Govt. Approved Test House

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan
Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com

TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

ULR No. : TC518723000007030F

Sample Name	MANSUKH SPECIAL DANEDAR TEA		
Report No.	JLFD230617007	Batch No.	April 20-23
Sample Code	NA	Mfg. Date	20/04/2023
Date of Received	17/06/2023	Exp. Date	19/04/2024
Started of Analysis	17/06/2023	Sample Condition	Sealed
End of Analysis	23/06/2023	Sample Qty.	1 x 500 gm
Report Release Date	23/06/2023	Ref. No.	983 Dt: 16/06/2023
Sample Submitted By	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Test Report Issued to	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Environment Condition	Room Temperature (°C): As per Standard, Relative Humidity (%) :as per Standard		

TEST RESULTS


Reference: As Per Food Safety & Standards Regulation 2011 (2.10.1)

Description : Sample Have Characteristic Flavour Free From any Off Odour, Free From Taint and Mustiness.

Sl. No.	Test Parameters	Unit	Results	Specification AS Per FSSR 2011	Test Method
Physical & Chemical Examination					
1.	Total Ash (ODB)	% w/w	7.02	4.0 to 8.0	IS 13854:1994
2.	Water Soluble ash (ODB)	% w/w	58.95	Min 45.0	IS 13855:1993
3.	Alkalinity of Water Soluble as Expressed as KOH (ODB)	% w/w	2.35	1.0 to 3.0	IS 13856:1993
4.	Acid Insoluble ash (ODB)	% w/w	0.467	Max 1.0	IS 13857:1993
5.	Water Extraction (ODB)	% w/w	38.60	Min 32.0	IS 13862:1999
6.	Crude Fiber (ODB)	% w/w	8.91	Max 16.5	IS 10226 (Part 1):1982
Microbiological Examination					
7.	Salmonella	Per 25g	Absent	Absent	IS 5887 (Part 3) : 1999
8.	Aerobic Colony Count	cfu/g	1.3 × 10 ³	Max 1 × 10 ⁷	IS 5402 : 2012
9.	Yeast & Mould Count	cfu/g	<10	Max 1 × 10 ⁵	IS 5403 : 1999
10.	Bacillus cereus	cfu/g	<10	Max 1 × 10 ⁴	IS 5887 (Part 6) : 2012
11.	Enterobacteriaceae	cfu/g	<10	Max 1 × 10 ³	IS 17112 (Part 2) : 2019
12.	Sulphite Reducing Clostridia	cfu/g	<10	Max 1 × 10 ³	ISO 15213
13.	Staphylococcus aureus	per g	Absent	Max 1 × 10 ³	IS 5887 (Part 2) : 1976
Heavy Metals					

Review by 
K.S. Rajawat
Dy. Technical Manager- Food




Authorised Signatory
Manoj Yadav
Technical Manager-Chemical

Page No.1 of 5

NOTE :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
2. Total liability of this Laboratory is limited to the invoice amount.
3. This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
4. Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
5. Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.



JAGDAMBA LABORATORIES®



Govt. Approved Test House

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan
Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com

TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

ULR No. : TC518723000007030F

Sample Name	MANSUKH SPECIAL DANEDAR TEA		
Report No.	JLFD230617007	Batch No.	April 20-23
Sample Code	NA	Mfg. Date	20/04/2023
Date of Received	17/06/2023	Exp. Date	19/04/2024
Started of Analysis	17/06/2023	Sample Condition	Sealed
End of Analysis	23/06/2023	Sample Qty.	1 x 500 gm
Report Release Date	23/06/2023	Ref. No.	983 Dt: 16/06/2023
Sample Submitted By	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Test Report Issued to	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Environment Condition	Room Temperature (°C): As per Standard, Relative Humidity (%) :as per Standard		

TEST RESULTS

Reference: As Per Food Safety & Standards Regulation 2011 (2.10.1)

Description : Sample Have Characteristic Flavour Free From any Off Odour, Free From Taint and Mustiness.

Sl. No.	Test Parameters	Unit	Results	Specification AS Per FSSR 2011	Test Method
14.	Lead (as Pb)	mg/kg	BLQ(DL0.01)	Max. 5.0	JL/CS/STP/22
15.	Arsenic (as As)	mg/kg	BLQ(DL0.01)	Max.0.1	JL/CS/STP/22
16.	Copper (as Cu)	mg/kg	2.41	Max 150	JL/CS/STP/22
17.	Mercury (as Hg)	mg/kg	BLQ(DL0.001)	Max. 1.0	JL/CS/STP/22
18.	Tin (as Sn)	mg/kg	BLQ(DL0.01)	Max 250.0	JL/CS/STP/22
19.	Cadmium (as Cd)	mg/kg	BLQ(DL0.01)	Max. 1.5	JL/CS/STP/22
20.	Methyl Mercury (Calculate as Elemental Hg)	mg/kg	BLQ(DL0.001)	Max. 0.25	JL/CS/STP/22
Crop Contaminants					
21.	Total Aflatoxin (B1+B2+G1+G2)	µg/kg	BLQ(DL 1.75)	Max 30.0	JL/CS/STP/03
22.	Aflatoxin B1	µg/kg	BLQ(DL 2.0)	Max 15.0	JL/CS/STP/08
Other Contaminants					
23.	Melamine	mg/kg	BLQ (DL 0.035)	Max 2.5	JL/CS/STP/17
Naturally Occuring Toxic Substances (NOTS)					
24.	Agaric acid	mg/kg	BLQ (DL 0.1)	Max 100.0	JL/CS/STP/13
25.	Hydrocyanic acid	mg/kg	BLQ (DL 0.1)	Max 5.0	AOAC 915.03 21st Edi 2019
26.	Hypericine	mg/kg	BLQ (DL 0.1)	Max 1.0	JL/CS/STP/14
27.	Saffrole	mg/kg	BLQ (DL 0.1)	Max 10.0	JL/CS/STP/07

Reviewed by
K.S. Rajawat
Dy. Technical Manager- Food



Authorized Signatory
Manoj Yadav
Technical Manager-Chemical

Page No.2 of 5

NOTE :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
2. Total liability of this Laboratory is limited to the invoice amount.
3. This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
4. Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
5. Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.



JAGDAMBA LABORATORIES®

Govt. Approved Test House

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan

Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com

TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS



TEST REPORT

ULR No. : TC518723000007030F


Sample Name	MANSUKH SPECIAL DANEDAR TEA		
Report No.	JLFD230617007	Batch No.	April 20-23
Sample Code	NA	Mfg. Date	20/04/2023
Date of Received	17/06/2023	Exp. Date	19/04/2024
Started of Analysis	17/06/2023	Sample Condition	Sealed
End of Analysis	23/06/2023	Sample Qty.	1 x 500 gm
Report Release Date	23/06/2023	Ref. No.	983 Dt: 16/06/2023
Sample Submitted By	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Test Report Issued to	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Environment Condition	Room Temperature (°C): As per Standard, Relative Humidity (%) :as per Standard		

TEST RESULTS


Reference: As Per Food Safety & Standards Regulation 2011 (2.10.1)

Description : Sample Have Characteristic Flavour Free From any Off Odour, Free From Taint and Mustiness.

Sl. No.	Test Parameters	Unit	Results	Specification AS Per FSSR 2011	Test Method
Pesticide Residue					
28.	Chlorantraniliprole	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
29.	Cyantraniliprole	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
30.	Diafenthiuron	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
31.	Epoxyconazole	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
32.	Fenpyroximate	mg/kg	BLQ (DL 0.01)	Max 2.0	JL/CS/STP/23
33.	Flubendiamide	mg/kg	BLQ (DL 0.01)	Max 50.0	JL/CS/STP/23
34.	Fosetyl-Al	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
35.	Imidacloprid	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
36.	Indoxacarb	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
37.	Kresoxim Methyl	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
38.	Lufenuron	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
39.	Monocrotophos	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
40.	Oxadiazyl	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
41.	Pyraclostrobin	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
42.	Quinalphos	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23

Reviewed by 
K.S. Rajawat
Dy. Technical Manager- Food




Authorised Signatory
Manoj Yadav
Technical Manager-Chemical

Page No.3 of 5

NOTE :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
2. Total liability of this Laboratory is limited to the invoice amount.
3. This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
4. Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
5. Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.



JAGDAMBA LABORATORIES®

Govt. Approved Test House

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan
Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com

TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS



TEST REPORT

ULR No. : TC518723000007030F


Sample Name	MANSUKH SPECIAL DANEDAR TEA		
Report No.	JLFD230617007	Batch No.	April 20-23
Sample Code	NA	Mfg. Date	20/04/2023
Date of Received	17/06/2023	Exp. Date	19/04/2024
Started of Analysis	17/06/2023	Sample Condition	Sealed
End of Analysis	23/06/2023	Sample Qty.	1 x 500 gm
Report Release Date	23/06/2023	Ref. No.	983 Dt: 16/06/2023
Sample Submitted By	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Test Report Issued to	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Environment Condition	Room Temperature (°C): As per Standard, Relative Humidity (%) :as per Standard		

TEST RESULTS


Reference: As Per Food Safety & Standards Regulation 2011 (2.10.1)

Description : Sample Have Characteristic Flavour Free From any Off Odour, Free From Taint and Mustiness.

Sl. No.	Test Parameters	Unit	Results	Specification AS Per FSSR 2011	Test Method
43.	Tebuconazole	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
44.	Triadimefon	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
45.	Trifloxystrobin	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23

Review by 
K.S. Rajawat
Dy. Technical Manager- Food




Authorised Signatory
Manoj Yadav
Technical Manager-Chemical

Page No.4 of 5

NOTE :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
2. Total liability of this Laboratory is limited to the invoice amount.
3. This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
4. Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
5. Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.

Govt. Approved Test House

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan

Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com

TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

Sample Name	MANSUKH SPECIAL DANEDAR TEA		
Report No.	JLFD230617007	Batch No.	April 20-23
Sample Code	NA	Mfg. Date	20/04/2023
Date of Received	17/06/2023	Exp. Date	19/04/2024
Started of Analysis	17/06/2023	Sample Condition	Sealed
End of Analysis	23/06/2023	Sample Qty.	1 x 500 gm
Report Release Date	23/06/2023	Ref. No.	983 Dt: 16/06/2023
Sample Submitted By	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Test Report Issued to	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Environment Condition	Room Temperature (°C): As per Standard, Relative Humidity (%) :as per Standard		

TEST RESULTS

Reference: As Per Food Safety & Standards Regulation 2011 (2.10.1)


Description : Sample Have Characteristic Flavour Free From any Off Odour, Free From Taint and Mustiness.

Sl. No.	Test Parameters	Unit	Results	Specification AS Per FSSR 2011	Test Method
---------	-----------------	------	---------	-----------------------------------	-------------


Physical & Chemical Examination					
46.	Iron Filling)	mg/kg	38.64	Max 250	FSSAI Lab Manual- Beverages, 2016
47.	Extraneous Matter	--	Absent	Free From Extraneous Matter	JL/CS/STP/54
48.	Added Colouring Matter	--	Absent	Free From Added Colouring Matter	JL/CS/STP/54
49.	Living Insects	--	Free From Living Insects	Free From Living Insects	JL/CS/STP/54
50.	Moulds & Dead Insects	--	No Dead Insects	Free From Moulds Dead Insects	JL/CS/STP/54
51.	Rodent Contaminations	--	No Rodent Contaminations	Free From Rodent Contaminations	JL/CS/STP/54

The above sample confirms to as per FSSR 2011 with respect to the above tests only.

BLQ - Below Limit of Quantification, DL- Detection Limit

Review by 
K.S. Rajawat
Dy. Technical Manager- Food




Authorised Signatory
Manoj Yadav
Technical Manager-Chemical

NOTE :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
2. Total liability of this Laboratory is limited to the invoice amount.
3. This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
4. Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
5. Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.



JAGDAMBA LABORATORIES®

Govt. Approved Test House

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan
Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com



TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

ULR No. : TC518723000007031F


Sample Name	MANSUKH SPECIAL HOTEL DUST TEA		
Report No.	JLFD230617008	Batch No.	Jun 01-23
Sample Code	NA	Mfg. Date	06/2023
Date of Received	17/06/2023	Exp. Date	05/2024
Started of Analysis	17/06/2023	Sample Condition	Sealed
End of Analysis	23/06/2023	Sample Qty.	1 x 500 gm
Report Release Date	23/06/2023	Ref. No.	983 Dt: 16/06/2023
Sample Submitted By	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Test Report Issued to	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Environment Condition	Room Temperature (°C): As per Standard, Relative Humidity (%) :as per Standard		

TEST RESULTS


Reference: As Per Food Safety & Standards Regulation 2011 (2.10.1)

Description : Sample Have Characteristic Flavour Free From any Off Odour, Free From Taint and Mustiness.

Sl. No.	Test Parameters	Unit	Results	Specification AS Per FSSR 2011	Test Method
Physical & Chemical Examination					
1.	Total Ash (ODB)	% w/w	6.84	4.0 to 8.0	IS 13854:1994
2.	Water Soluble ash (ODB)	% w/w	59.26	Min 45.0	IS 13855:1993
3.	Alkalinity of Water Soluble as Expressed as KOH (ODB)	% w/w	2.51	1.0 to 3.0	IS 13856:1993
4.	Acid Insoluble ash (ODB)	% w/w	0.43	Max 1.0	IS 13857:1993
5.	Water Extraction (ODB)	% w/w	32.86	Min 32.0	IS 13862:1999
6.	Crude Fiber (ODB)	% w/w	12.21	Max 16.5	IS 10226 (Part 1):1982
Microbiological Examination					
7.	Salmonella	Per 25g	Absent	Absent	IS 5887 (Part 3) : 1999
8.	Aerobic Colony Count	cfu/g	1.2 × 10 ³	Max 1 × 10 ⁷	IS 5402 : 2012
9.	Yeast & Mould Count	cfu/g	<10	Max 1 × 10 ⁵	IS 5403 : 1999
10.	Bacillus cereus	cfu/g	<10	Max 1 × 10 ⁴	IS 5887 (Part 6) : 2012
11.	Enterobacteriaceae	cfu/g	<10	Max 1 × 10 ³	IS 17112 (Part 2) : 2019
12.	Sulphite Reducing Clostridia	cfu/g	<10	Max 1 × 10 ³	ISO 15213
13.	Staphylococcus aureus	per g	Absent	Max 1 × 10 ³	IS 5887 (Part 2) : 1976
Heavy Metals					

Review by 
K.S. Rajawat
Dy. Technical Manager- Food




Authorised Signatory
Manoj Yadav
Technical Manager-Chemical

Page No.1 of 5

NOTE :

- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
- Total liability of this Laboratory is limited to the invoice amount.
- This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
- Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
- Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.



JAGDAMBA LABORATORIES®

Govt. Approved Test House

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan
Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com



TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

ULR No. : TC518723000007031F

Sample Name	MANSUKH SPECIAL HOTEL DUST TEA		
Report No.	JLFD230617008	Batch No.	Jun 01-23
Sample Code	NA	Mfg. Date	06/2023
Date of Received	17/06/2023	Exp. Date	05/2024
Started of Analysis	17/06/2023	Sample Condition	Sealed
End of Analysis	23/06/2023	Sample Qty.	1 x 500 gm
Report Release Date	23/06/2023	Ref. No.	983 Dt: 16/06/2023
Sample Submitted By	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Test Report Issued to	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Environment Condition	Room Temperature (°C): As per Standard, Relative Humidity (%) :as per Standard		

TEST RESULTS

Reference: As Per Food Safety & Standards Regulation 2011 (2.10.1)

Description : Sample Have Characteristic Flavour Free From any Off Odour, Free From Taint and Mustiness.

Sl. No.	Test Parameters	Unit	Results	Specification AS Per FSSR 2011	Test Method
14.	Lead (as Pb)	mg/kg	BLQ(DL0.01)	Max. 5.0	JL/CS/STP/22
15.	Arsenic (as As)	mg/kg	BLQ(DL0.01)	Max.0.1	JL/CS/STP/22
16.	Copper (as Cu)	mg/kg	2.01	Max 150	JL/CS/STP/22
17.	Mercury (as Hg)	mg/kg	BLQ(DL0.001)	Max. 1.0	JL/CS/STP/22
18.	Tin (as Sn)	mg/kg	BLQ(DL0.01)	Max 250.0	JL/CS/STP/22
19.	Cadmium (as Cd)	mg/kg	BLQ(DL0.01)	Max. 1.5	JL/CS/STP/22
20.	Methyl Mercury (Calculate as Elemental Hg)	mg/kg	BLQ(DL0.001)	Max. 0.25	JL/CS/STP/22
Crop Contaminants					
21.	Total Aflatoxin (B1+B2+G1+G2)	µg/kg	BLQ(DL 1.75)	Max 30.0	JL/CS/STP/03
22.	Aflatoxin B1	µg/kg	BLQ(DL 2.0)	Max 15.0	JL/CS/STP/08
Other Contaminants					
23.	Melamine	mg/kg	BLQ (DL 0.035)	Max 2.5	JL/CS/STP/17
Naturally Occuring Toxic Substances (NOTS)					
24.	Agaric acid	mg/kg	BLQ (DL 0.1)	Max 100.0	JL/CS/STP/13
25.	Hydrocyanic acid	mg/kg	BLQ (DL 0.1)	Max 5.0	AOAC 915.03 21st Edi 2019
26.	Hypericine	mg/kg	BLQ (DL 0.1)	Max 1.0	JL/CS/STP/14
27.	Saffrole	mg/kg	BLQ (DL 0.1)	Max 10.0	JL/CS/STP/07

Reviewed by
K.S. Rajawat
Dy. Technical Manager- Food



Authorised Signatory
Manoj Yadav
Technical Manager-Chemical

Page No.2 of 5

NOTE :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
2. Total liability of this Laboratory is limited to the invoice amount.
3. This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
4. Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
5. Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.



JAGDAMBA LABORATORIES®

Govt. Approved Test House

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan
Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com



TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

ULR No. : TC518723000007031F

Sample Name	MANSUKH SPECIAL HOTEL DUST TEA		
Report No.	JLFD230617008	Batch No.	Jun 01-23
Sample Code	NA	Mfg. Date	06/2023
Date of Received	17/06/2023	Exp. Date	05/2024
Started of Analysis	17/06/2023	Sample Condition	Sealed
End of Analysis	23/06/2023	Sample Qty.	1 x 500 gm
Report Release Date	23/06/2023	Ref. No.	983 Dt: 16/06/2023
Sample Submitted By	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Test Report Issued to	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Environment Condition	Room Temperature (°C): As per Standard, Relative Humidity (%) :as per Standard		

TEST RESULTS

Reference: As Per Food Safety & Standards Regulation 2011 (2.10.1)

Description : Sample Have Characteristic Flavour Free From any Off Odour, Free From Taint and Mustiness.

Sl. No.	Test Parameters	Unit	Results	Specification AS Per FSSR 2011	Test Method
Pesticide Residue					
28.	Chlorantraniliprole	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
29.	Cyantraniliprole	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
30.	Diafenthiuron	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
31.	Epoxyconazole	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
32.	Fenpyroximate	mg/kg	BLQ (DL 0.01)	Max 2.0	JL/CS/STP/23
33.	Flubendiamide	mg/kg	BLQ (DL 0.01)	Max 50.0	JL/CS/STP/23
34.	Fosetyl-Al	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
35.	Imidacloprid	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
36.	Indoxacarb	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
37.	Kresoxim Methyl	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
38.	Lufenuron	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
39.	Monocrotophos	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
40.	Oxadiazyl	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
41.	Pyraclostrobin	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
42.	Quinalphos	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23

Review by
K.S. Rajawat

Dy. Technical Manager- Food



Manoj Yadav
Authorised Signatory

Technical Manager-Chemical

Page No.3 of 5

NOTE :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
2. Total liability of this Laboratory is limited to the invoice amount.
3. This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
4. Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
5. Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.



JAGDAMBA LABORATORIES®

Govt. Approved Test House

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan

Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com



TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

ULR No. : TC518723000007031F


Sample Name	MANSUKH SPECIAL HOTEL DUST TEA		
Report No.	JLFD230617008	Batch No.	Jun 01-23
Sample Code	NA	Mfg. Date	06/2023
Date of Received	17/06/2023	Exp. Date	05/2024
Started of Analysis	17/06/2023	Sample Condition	Sealed
End of Analysis	23/06/2023	Sample Qty.	1 x 500 gm
Report Release Date	23/06/2023	Ref. No.	983 Dt: 16/06/2023
Sample Submitted By	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Test Report Issued to	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Environment Condition	Room Temperature (°C): As per Standard, Relative Humidity (%) :as per Standard		

TEST RESULTS


Reference: As Per Food Safety & Standards Regulation 2011 (2.10.1)

Description : Sample Have Characteristic Flavour Free From any Off Odour, Free From Taint and Mustiness.

Sl. No.	Test Parameters	Unit	Results	Specification AS Per FSSR 2011	Test Method
43.	Tebuconazole	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
44.	Triadimefon	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
45.	Trifloxystrobin	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23

Review by 
K.S. Rajawat
Dy. Technical Manager- Food




Authorised Signatory
Manoj Yadav
Technical Manager-Chemical

Page No.4 of 5

NOTE :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
2. Total liability of this Laboratory is limited to the invoice amount.
3. This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
4. Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
5. Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.

Govt. Approved Test House

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan

Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com

TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

Sample Name	MANSUKH SPECIAL HOTEL DUST TEA		
Report No.	JLFD230617008	Batch No.	Jun 01-23
Sample Code	NA	Mfg. Date	06/2023
Date of Received	17/06/2023	Exp. Date	05/2024
Started of Analysis	17/06/2023	Sample Condition	Sealed
End of Analysis	23/06/2023	Sample Qty.	1 x 500 gm
Report Release Date	23/06/2023	Ref. No.	983 Dt: 16/06/2023
Sample Submitted By	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Test Report Issued to	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Environment Condition	Room Temperature (°C): As per Standard, Relative Humidity (%) :as per Standard		

TEST RESULTS

Reference: As Per Food Safety & Standards Regulation 2011 (2.10.1)


Description : Sample Have Characteristic Flavour Free From any Off Odour, Free From Taint and Mustiness.

Sl. No.	Test Parameters	Unit	Results	Specification AS Per FSSR 2011	Test Method
Physical & Chemical Examination					
46.	Iron Filling)	mg/kg	45.53	Max 250	FSSAI Lab Manual- Beverages, 2016
47.	Extraneous Matter	--	Absent	Free From Extraneous Matter	JL/CS/STP/54
48.	Added Colouring Matter	--	Absent	Free From Added Colouring Matter	JL/CS/STP/54
49.	Living Insects	--	Free From Living Insects	Free From Living Insects	JL/CS/STP/54
50.	Moulds & Dead Insects	--	No Dead Insects	Free From Moulds Dead Insects	JL/CS/STP/54
51.	Rodent Contaminations	--	No Rodent Contaminations	Free From Rodent Contaminations	JL/CS/STP/54


The above sample confirms to as per FSSR 2011 with respect to the above tests only.

BLQ - Below Limit of Quantification, DL- Detection Limit

End of Report

Review by 
K.S. Rajawat
Dy. Technical Manager- Food




Authorised Signatory
Manoj Yadav
Technical Manager-Chemical

Page No.5 of 5

NOTE :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
2. Total liability of this Laboratory is limited to the invoice amount.
3. This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
4. Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
5. Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.



JAGDAMBA LABORATORIES®

Govt. Approved Test House

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan
Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com



TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

ULR No. : TC518723000007032F


Sample Name	MANSUKH SPECIAL H2 TEA		
Report No.	JLFD230617009	Batch No.	MBR01
Sample Code	NA	Mfg. Date	01/05/2023
Date of Received	17/06/2023	Exp. Date	31/04/2023
Started of Analysis	17/06/2023	Sample Condition	Sealed
End of Analysis	23/06/2023	Sample Qty.	1 x 500 gm
Report Release Date	23/06/2023	Ref. No.	983 Dt: 16/06/2023
Sample Submitted By	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Test Report Issued to	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Environment Condition	Room Temperature (°C): As per Standard, Relative Humidity (%) :as per Standard		

TEST RESULTS


Reference: As Per Food Safety & Standards Regulation 2011 (2.10.1)

Description : Sample Have Characteristic Flavour Free From any Off Odour, Free From Taint and Mustiness.

Sl. No.	Test Parameters	Unit	Results	Specification AS Per FSSR 2011	Test Method
Physical & Chemical Examination					
1.	Total Ash (ODB)	% w/w	6.47	4.0 to 8.0	IS 13854:1994
2.	Water Soluble ash (ODB)	% w/w	59.94	Min 45.0	IS 13855:1993
3.	Alkalinity of Water Soluble as Expressed as KOH (ODB)	% w/w	1.77	1.0 to 3.0	IS 13856:1993
4.	Acid Insoluble ash (ODB)	% w/w	0.5103	Max 1.0	IS 13857:1993
5.	Water Extraction (ODB)	% w/w	34.88	Min 32.0	IS 13862:1999
6.	Crude Fiber (ODB)	% w/w	9.13	Max 16.5	IS 10226 (Part 1):1982
Microbiological Examination					
7.	Salmonella	Per 25g	Absent	Absent	IS 5887 (Part 3) : 1999
8.	Aerobic Colony Count	cfu/g	1.6×10^3	Max 1×10^7	IS 5402 : 2012
9.	Yeast & Mould Count	cfu/g	<10	Max 1×10^5	IS 5403 : 1999
10.	Bacillus cereus	cfu/g	<10	Max 1×10^4	IS 5887 (Part 6) : 2012
11.	Enterobacteriaceae	cfu/g	<10	Max 1×10^3	IS 17112 (Part 2) : 2019
12.	Sulphite Reducing Clostridia	cfu/g	<10	Max 1×10^3	ISO 15213
13.	Staphylococcus aureus	per g	Absent	Max 1×10^3	IS 5887 (Part 2) : 1976
Heavy Metals					

Review by 
K.S. Rajawat
Dy. Technical Manager- Food




Authorised Signatory
Manoj Yadav
Technical Manager-Chemical

Page No.1 of 5

NOTE :

- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
- Total liability of this Laboratory is limited to the invoice amount.
- This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
- Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
- Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.



JAGDAMBA LABORATORIES®

Govt. Approved Test House

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan
Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com



TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

ULR No. : TC518723000007032F

Sample Name	MANSUKH SPECIAL H2 TEA		
Report No.	JLFD230617009	Batch No.	MBR01
Sample Code	NA	Mfg. Date	01/05/2023
Date of Received	17/06/2023	Exp. Date	31/04/2023
Started of Analysis	17/06/2023	Sample Condition	Sealed
End of Analysis	23/06/2023	Sample Qty.	1 x 500 gm
Report Release Date	23/06/2023	Ref. No.	983 Dt: 16/06/2023
Sample Submitted By	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Test Report Issued to	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Environment Condition	Room Temperature (°C): As per Standard, Relative Humidity (%) :as per Standard		

TEST RESULTS

Reference: As Per Food Safety & Standards Regulation 2011 (2.10.1)

Description : Sample Have Characteristic Flavour Free From any Off Odour, Free From Taint and Mustiness.

Sl. No.	Test Parameters	Unit	Results	Specification AS Per FSSR 2011	Test Method
14.	Lead (as Pb)	mg/kg	BLQ(DL0.01)	Max. 5.0	JL/CS/STP/22
15.	Arsenic (as As)	mg/kg	BLQ(DL0.01)	Max.0.1	JL/CS/STP/22
16.	Copper (as Cu)	mg/kg	1.94	Max 150	JL/CS/STP/22
17.	Mercury (as Hg)	mg/kg	BLQ(DL0.001)	Max. 1.0	JL/CS/STP/22
18.	Tin (as Sn)	mg/kg	BLQ(DL0.01)	Max 250.0	JL/CS/STP/22
19.	Cadmium (as Cd)	mg/kg	BLQ(DL0.01)	Max. 1.5	JL/CS/STP/22
20.	Methyl Mercury (Calculate as Elemental Hg)	mg/kg	BLQ(DL0.001)	Max. 0.25	JL/CS/STP/22
Crop Contaminants					
21.	Total Aflatoxin (B1+B2+G1+G2)	µg/kg	BLQ(DL 1.75)	Max 30.0	JL/CS/STP/03
22.	Aflatoxin B1	µg/kg	BLQ(DL 2.0)	Max 15.0	JL/CS/STP/08
Other Contaminants					
23.	Melamine	mg/kg	BLQ (DL 0.035)	Max 2.5	JL/CS/STP/17
Naturally Occuring Toxic Substances (NOTS)					
24.	Agaric acid	mg/kg	BLQ (DL 0.1)	Max 100.0	JL/CS/STP/13
25.	Hydrocyanic acid	mg/kg	BLQ (DL 0.1)	Max 5.0	AOAC 915.03 21st Edi 2019
26.	Hypericine	mg/kg	BLQ (DL 0.1)	Max 1.0	JL/CS/STP/14
27.	Saffrole	mg/kg	BLQ (DL 0.1)	Max 10.0	JL/CS/STP/07

Reviewed by
K.S. Rajawat

Dy. Technical Manager- Food



Authorized Signatory
Manoj Yadav

Technical Manager-Chemical

Page No.2 of 5

NOTE :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
2. Total liability of this Laboratory is limited to the invoice amount.
3. This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
4. Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
5. Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.



JAGDAMBA LABORATORIES®

Govt. Approved Test House

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan

Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com



TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

ULR No. : TC518723000007032F


Sample Name	MANSUKH SPECIAL H2 TEA		
Report No.	JLFD230617009	Batch No.	MBR01
Sample Code	NA	Mfg. Date	01/05/2023
Date of Received	17/06/2023	Exp. Date	31/04/2023
Started of Analysis	17/06/2023	Sample Condition	Sealed
End of Analysis	23/06/2023	Sample Qty.	1 x 500 gm
Report Release Date	23/06/2023	Ref. No.	983 Dt: 16/06/2023
Sample Submitted By	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Test Report Issued to	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Environment Condition	Room Temperature (°C): As per Standard, Relative Humidity (%) :as per Standard		


TEST RESULTS


Reference: As Per Food Safety & Standards Regulation 2011 (2.10.1)

Description : Sample Have Characteristic Flavour Free From any Off Odour, Free From Taint and Mustiness.

Sl. No.	Test Parameters	Unit	Results	Specification AS Per FSSR 2011	Test Method
Pesticide Residue					
28.	Chlorantraniliprole	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
29.	Cyantraniliprole	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
30.	Diafenthiuron	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
31.	Epoxyconazole	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
32.	Fenpyroximate	mg/kg	BLQ (DL 0.01)	Max 2.0	JL/CS/STP/23
33.	Flubendiamide	mg/kg	BLQ (DL 0.01)	Max 50.0	JL/CS/STP/23
34.	Fosetyl-Al	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
35.	Imidacloprid	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
36.	Indoxacarb	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
37.	Kresoxim Methyl	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
38.	Lufenuron	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
39.	Monocrotophos	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
40.	Oxadiazyl	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
41.	Pyraclostrobin	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
42.	Quinalphos	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23

Review by 
K.S. Rajawat
Dy. Technical Manager- Food




Authorised Signatory
Manoj Yadav
Technical Manager-Chemical

Page No.3 of 5

NOTE :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
2. Total liability of this Laboratory is limited to the invoice amount.
3. This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
4. Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
5. Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.



JAGDAMBA LABORATORIES®

Govt. Approved Test House

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan
Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com

TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS



TEST REPORT

ULR No. : TC518723000007032F


Sample Name	MANSUKH SPECIAL H2 TEA		
Report No.	JLFD230617009	Batch No.	MBR01
Sample Code	NA	Mfg. Date	01/05/2023
Date of Received	17/06/2023	Exp. Date	31/04/2023
Started of Analysis	17/06/2023	Sample Condition	Sealed
End of Analysis	23/06/2023	Sample Qty.	1 x 500 gm
Report Release Date	23/06/2023	Ref. No.	983 Dt: 16/06/2023
Sample Submitted By	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Test Report Issued to	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Environment Condition	Room Temperature (°C): As per Standard, Relative Humidity (%) :as per Standard		

TEST RESULTS


Reference: As Per Food Safety & Standards Regulation 2011 (2.10.1)

Description : Sample Have Characteristic Flavour Free From any Off Odour, Free From Taint and Mustiness.

Sl. No.	Test Parameters	Unit	Results	Specification AS Per FSSR 2011	Test Method
43.	Tebuconazole	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
44.	Triadimefon	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23
45.	Trifloxystrobin	mg/kg	BLQ (DL 0.01)	Max 0.01	JL/CS/STP/23

Review by 
K.S. Rajawat
Dy. Technical Manager- Food




Authorised Signatory
Manoj Yadav
Technical Manager-Chemical

Page No.4 of 5

NOTE :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
2. Total liability of this Laboratory is limited to the invoice amount.
3. This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
4. Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
5. Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.

Govt. Approved Test House

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan

Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com

TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

Sample Name	MANSUKH SPECIAL H2 TEA		
Report No.	JLFD230617009	Batch No.	MBR01
Sample Code	NA	Mfg. Date	01/05/2023
Date of Received	17/06/2023	Exp. Date	31/04/2023
Started of Analysis	17/06/2023	Sample Condition	Sealed
End of Analysis	23/06/2023	Sample Qty.	1 x 500 gm
Report Release Date	23/06/2023	Ref. No.	983 Dt: 16/06/2023
Sample Submitted By	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Test Report Issued to	MANSUKHBHAI INDUSTRIES LIMITED, 348-349, TRIPOLIA BAZAR, JAIPUR, (RAJ.) 302002		
Environment Condition	Room Temperature (°C): As per Standard, Relative Humidity (%) :as per Standard		

TEST RESULTS

Reference: As Per Food Safety & Standards Regulation 2011 (2.10.1)

Description : Sample Have Characteristic Flavour Free From any Off Odour, Free From Taint and Mustiness.

Sl. No.	Test Parameters	Unit	Results	Specification AS Per FSSR 2011	Test Method
---------	-----------------	------	---------	-----------------------------------	-------------


Physical & Chemical Examination					
46.	Iron Filling)	mg/kg	40.63	Max 250	FSSAI Lab Manual- Beverages, 2016
47.	Extraneous Matter	--	Absent	Free From Extraneous Matter	JL/CS/STP/54
48.	Added Colouring Matter	--	Absent	Free From Added Colouring Matter	JL/CS/STP/54
49.	Living Insects	--	Free From Living Insects	Free From Living Insects	JL/CS/STP/54
50.	Moulds & Dead Insects	--	No Dead Insects	Free From Moulds Dead Insects	JL/CS/STP/54
51.	Rodent Contaminations	--	No Rodent Contaminations	Free From Rodent Contaminations	JL/CS/STP/54

The above sample confirms to as per FSSR 2011 with respect to the above tests only.

BLQ - Below Limit of Quantification, DL- Detection Limit

Review by 
K.S. Rajawat
Dy. Technical Manager- Food




Authorised Signatory
Manoj Yadav
Technical Manager-Chemical

Page No.5 of 5

NOTE :

- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
- Total liability of this Laboratory is limited to the invoice amount.
- This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
- Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
- Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.